

S.No	External	Composition
1	Aciclovir Cream BP 5%w/w	Composition: Aciclovir BP 5.0% w/w Cream Base Q.S.
2	Amodiaquine Hydrochloride Suspension 50mg/5ml.	Each 5 ml Contains: Amodiaquine Hydrochloride USP eq. to. Amodiaquine 50 mg Flavoured syrup Base Q. S. Approved Colour Used
3	Beclometasone Dipropionate, Gentamicin Tolnaftate & Idochlorhydroxyquinoline Cream	Beclometasone Dipropionate BP 0.025% w/w Gentamicin (as Sulfate ) BP 0.10% w/w Idochlorhydroxyquinoline (Clioquinol) BP 1.0% w/w Tolnaftate BP 1.000% w/w Chlorocresol BP (As preservative) 0.10% w/w Cream Base Q.S.
4	Beclometasone with Clotrimazole Cream	Composition: Clotrimazole BP 1.0% w/w Beclometasone Dipropionate BP 0.025% w/w Cream Base Q.S.
5	Beclometasone with Neomycin Cream	Composition: Beclometasone Dipropionate BP 0.025% w/w Neomycin Sulfate USP 0.500% w/w Eq. To Neomycin Base 0.350% w/w Cream Base Q.S.
6	Beclometasone with Salicylic Acid Ointment	Beclometasone Dipropionate BP 0.025% w/w Salicylic Acid BP 3.000% w/w Cream Base Q.S.
7	Beclometasone, Gentamicin & Clotrimazole Cream	Beclometasone Dipropionate BP 0.025% w/w Gentamicin Sulfate BP Eq. To. Gentamicin 0.10% w/w Clotrimazole BP 1.0% w/w Cream Base Q.S.
8	Beclomethasone Cream BP 0.025 % w/w	Composition: Beclometasone Dipropionate BP 0.025% w/w Cream base Q. S.
9	Beclomethasone Dipropionate , Neomycin Sulfate and Miconazole Nitrate Cream	Composition: Beclomethasone Dipropionate USP 0.025% w/w Neomycin Sulfate USP 0.5% w/w Eq. to Neomycin 0.35% w/w Miconazole Nitrate BP 2.0 % w/w
10	Beclomethasone Dipropionate and Neomycin Sulphate Cream	Composition: Beclomethasone Dipropionate BP 0.025% w/w Neomycin Sulphate BP 0.50% w/w Eq. to Neomycin Base 0.350% w/w Chlorocresol BP 0.1% w/w ( As preservative ) Cream base Q. S.
11	Beclomethasone Dipropionate, Neomycin Sulphate & Clotrimazole Creams	Composition: Beclomethasone Dipropionate USP 0.025% w/w Neomycin Sulfate USP 0.5% w/w Eq. to neomycin base 0.35 % w/w Clotrimazole BP 1.0% w/w Cream base Q. S.
12	Benzyl Benzoate Application IP 25.0% w/w	Composition: Benzyl Benzoate IP 25.00% W/W Emulsion Base Q. S.
13	Betamethasone Dipropionate Cream USP 0.050% w/w	Betamethasone Dipropionate USP Eq. To Betamethasone 0.050% w/w Cream Base Q.S

S.No	External	Composition
14	Betamethasone Dipropionate Cream BP	Composition: Betamethasone Dipropionate BP Eq. to Betamethasone 0.050% w/w Cream Base Q. S.
15	Betamethasone Dipropionate, Neomycin sulfate, Clotrimazole Cream	Composition: Betamethasone Dipropionate USP Eq. to Betamethasone 0.05%w/w Neomycin sulfate USP 0.5 %w/w eq. to Neomycin Base 0.35 %w/w Clotrimazole USP 1%w/w Cream Base q.s.
16	Betamethasone Valerate Cream BP 0.1% w/w	Betamethasone Valerate BP eq. to Betamethasone 0.100% w/w Chlorocresol BP 0.1% w/w (As preservative) Cream Base Q.S.
17	Betamethasone Valerate Ointment BP 0.025% w/w	Composition: Betamethasone Valerate BP equivalent to Betamethasone 0.025% w/w Ointment base Q. S.
18	Betamethasone Valerate Ointment BP 0.12 % w/w	Composition: Betamethasone Valerate BP 0.120% w/w equivalent to Betamethasone 0.1%w/w Ointment Base Q. S.
19	Betamethasone with Salicylic Acid Ointment	Composition: Betamethasone Dipropionate BP Eq. to. Betamethasone 0.05% w/w Salicylic Acid BP 3.0% w/w Ointment Base Q. S.
20	Calamine & Liquid Paraffin Lotion	Each 100 ml Contains: Calamine IP 8.00 % w/v Liquid Paraffin IP 10.00 % w/v Emulsion Base Q. S.
21	Cetrimide & Aminacrine Cream	Each 100 g Contains: Cetrimide BP 0.50 g Aminacrine 0.10 g Cream Base Q. S.
22	Cetrimide & Choline Salicylate Solution Gel	Composition: Cetrimide BP 0.01 % w/w Choline Salicylate Solution BP 9.00% w/w Glycerine Base Q. S.
23	Cetrimide & Lindane Lotion	Composition: Lindane USP 1 % w/v Cetrimide BP 10% w/v
24	Cetrimide Cream BP 0.5% w/w	Composition: Cetrimide BP 0.50% w/w Cream Base Q. S.
25	Chloroquine Phosphate Suspension BP 80 mg/ 5 ml	Each 5 ml Contains: Chloroquine Phosphate BP 80 mg Eq. to Chloroquine 50 mg Flavoured syrup Base Q. S. Approved Colour Used
26	Chloroquine Phosphate Syrup BP	Each 5 ml. Contains: Chloroquine Phosphate BP Eq. to Chloroquine 50.00 mg Flavoured syrup Base Q. S. Approved Colour Used
27	Chlorxylenol Cream 0.800 %	Composition: Chlorxylenol BP 0.800 % w/w Cream Base Q. S.
28	Ciprofloxacin Cream 0.5% w/w	Composition: Ciprofloxacin Hydrochloride BP Eq. to Ciprofloxacin 0.5% w/w Cream Base q. s.
29	Ciprofloxacin with Fluocinolone & Clotrimazole Cream	Composition: Ciprofloxacin Hydrochloride BP Eq. to Ciprofloxacin 0.5% w/w Fluocinolone Acetonide BP 0.025% w/w Clotrimazole BP 1% w/w Cream Base q. s.

S.No	External	Composition
30	Clindamycin Phosphate & Tretinoin Gel	Composition: Clindamycin Phosphate BP Eq. To Clindamycin 1.0% w/w Tretinoin BP 0.025% w/w Gel base: Q.S.
31	Clindamycin Phosphate Gel USP	Composition: Clindamycin Phosphate BP Eq. To Clindamycin 1.0% w/w Gel Base Q.S.
32	Clobetasol Cream BP 0.05 % w/w	Composition: Clobetasol Propionate BP 0.05% w/w Cream base Q. S.
33	Clobetasol Propionate , Miconazole Nitrate Cream	Each Gram Contains: Clobetasol Propionate BP 0.05% w/w Miconazole Nitrate BP 2.0% w/w Cream base Q. S.
34	Clobetasol Propionate, Gentamicin Sulfate, Tolnaftate, Iodochlor hydroxyquinoline & Clotrimazole Cream	Composition: Clobetasol Propionate BP 0.05% w/w Gentamicin Sulphate BP Eq. to Gentamicin 0.1% w/w Tolnaftate BP 1% w/w Iodochlorhydroxyquinoline BP 1% w/w Clotrimazole BP 1% w/w Cream base Q. S.
35	Clobetasol Propionate, Miconazole Nitrate & Gentamicin Sulphate Cream	Composition: Clobetasol propionate BP 0.05% w/w Gentamicin Sulphate BP Eq. to. Gentamicin 0.10% w/w Miconazole Nitrate BP 2.0% w/w Cream base Q. S.
36	Clobetasol Propionate, Neomycin Sulfate and Miconazole Nitrate & Zinc Sulfate cream	Composition: Clobetasol Propionate BP 0.05% w/w Miconazole Nitrate BP 2% w/w Neomycin sulphate BP eq. to Neomycin 0.5 % w/w Zinc Sulphate BP 0.1% w/w Cream Base Q.S.
37	Clobetasol Propionate, Neomycin Sulfate and Miconazole Nitrate cream	Composition: Clobetasol Propionate BP 0.05% w/w Neomycin Sulphate BP eq. to Neomycin 0.5% w/w Miconazole Nitrate BP 2% w/w Chlorocresol BP 0.1% w/w (As preservative) Cream base Q. S.
38	Clobetasol, Gentamicin & Miconazole Cream	Clobetasol Propionate BP 0.050% w/w Gentamicin Sulfate BP eq. to Gentamicin 0.200% w/w Miconazole Nitrate BP 2.000% w/w Cream Base Q.S.
39	Clobetasol, Gentamicin & Miconazole Cream	Clobetasol Propionate BP 0.050% w/w Gentamicin Sulfate BP Eq. To Gentamicin 0.100% w/w Miconazole Nitrate BP 2.000% w/w Cream Base Q.S
40	Clobetasone Propionate, Gentamicin Sulphate, Miconazole Nitrate & Clotrimazole Creams	Each Tube Contains: Clobetasone Propionate BP 0.05% w/w Gentamicin Sulphate BP Eq. to Gentamicin 0.1% w/w Miconazole Nitrate BP 2% w/w Clotrimazole BP 1% w/w Cream base Q. S.
41	Clotrimazole Cream BP 1 % w/w	Composition: Clotrimazole BP 1.00% w/w Cream Base Q. S.
42	Clotrimazole Cream BP 2%w/w	Composition: Clotrimazole BP 2.00 %w/w Cream Base Q. S.
43	Fluconazole Gel 0.5% w/w	Composition: Fluconazole 0.50 % w/w Gel base q.s.
44	Fluconazole Gel 0.5%w/w	Composition: Fluconazole BP 0.5% w/w Gel base Q. S.

S.No	External	Composition
45	Fluocinolone Acetonide & Miconazole Nitrate Cream	Composition: Fluocinolone Acetonide IP 0.025% w/w Miconazole Nitrate IP 2.0% w/w Cream base Q. S.
46	Fluocinolone Cream BP 0.01% w/w	Each Tube Contains: Fluocinolone Acetonide BP 0.01% w/w Cream base Q. S.
47	Fluocinolone Cream BP 0.025% w/w	Each Tube Contains: Fluocinolone Acetonide BP 0.025% w/w Cream base Q. S.
48	Fluocinolone ointment BP 0.025% w/w	Composition: Fluocinolone Acetonide BP 0.025% w/w Ointment base Q. S.
49	Fluocinolone with Neomycin & Miconazole Cream	Fluocinolone Acetonide BP 0.100% w/w Neomycin Sulfate USP 0.50% w/w Miconazole Nitrate BP 2.0% w/w Cream Base Q.S.
50	Fluocinolone, Gentamicin & Miconazole Cream	Fluocinolone Acetonide BP 0.010% w/w Gentamicin (as Gentamicin Sulfate BP) 0.100% w/w Miconazole Nitrate BP 2.000% w/w Cream Base Q.S.
51	Hydrocortisone Acetate Cream BP 0.5 % w/w	Composition: Hydrocortisone BP 0.50% w/w Cream base Q. S.
52	Hydrocortisone Acetate Cream BP 1%w/w	Composition: Hydrocortisone BP 1.00 % w/w Cream base Q. S.
53	Hydroquinone, Tretinoin & Mometasone Furoate Cream	Composition: Hydroquinone USP 2.0% w/w Tretinoin USP 0.025% w/w Mometasone Furoate BP 0.100% w/w Cream Base Q.S.
54	Ketoconazole & Zinc Pyrithione Lotion	Each 100 ml Contains: Ketoconazole IP 2.00 %w/v Zinc Pyrithione 1.00%w/v Emulsion Base Q. S.
55	Ketoconazole Cream BP 2% w/w	Composition: Ketoconazole BP 2.00% w/w Cream Base Q. S.
56	Lindane Lotion USP 1% w/v Gamma Benzene Hexachloride Application	Composition: Gamma Benzene Hexachloride BP 1.00 %w/v Aqueous Base Q. S.
57	Luliconazole Cream 1% w/w	Composition: Luliconazole BP 1% w/w Cream base Q. S.
58	Luliconazole Lotion BP 1% w/v	Composition: Luliconazole BP 1% w/v Lotion base Q.S.
59	Miconazole Cream BP 2 % w/w	Composition: Miconazole Nitrate BP 2.00% w/w Cream Base Q. S.
60	Mometasone Furoate Cream USP	Composition: Mometasone Furoate USP 0.10% w/w Cream Base Q.S.
61	Mometasone Furoate and Fusidic Acid Cream	Composition: Mometasone Furoate BP 0.1 %w/w Fusidic Acid BP 2% w/w Cream Base Q.S.
62	Mometasone Furoate and Fusidic Acid Ointments	Composition: Mometasone Furoate BP 0.1 %w/w Fusidic Acid BP 2% w/w Ointment Base Q.S.
63	Mometasone Furoate Cream BP	Composition: Mometasone Furoate BP 0.10% w/w Cream base Q. S.
64	Mupirocin Ointment BP 2%w/w	Composition: Mupirocin BP 2% w/w Ointment Base Q. S.

S.No	External	Composition
65	Nadifloxacin and Mometasone Furoate Creams	Each g contains: Nadifloxacin BP 10 mg Mometasone Furoate BP 1 mg Cream Base Q.S.
66	Nadifloxacin Gel IP 1% w/w	Composition: Nadifloxacin BP 1% w/w Gel Base Q. S.
67	Nadifloxacin, Miconazole Nitrate and Mometasone Furoate Cream	Each g contains: Nadifloxacin 10 mg, Miconazole Nitrate BP 2.0% Mometasone Furoate BP 1 mg Cream Base Q.S.
68	Nadifloxacin, Miconazole Nitrate & Mometasone Furoate Creams	Composition: Nadifloxacin BP 1% w/w Miconazole Nitrate IP 2% w/w Mometasone Furoate IP 0.1% w/w Cream base Q. S.
69	Neomycin and Polymyxin B Sulfates and Bacitracin Zinc Ointment USP	Composition: Each gm Contains Polymyxin B Sulfate USP eq. to Polymyxin B 5000 IU Bacitracin Zinc USP eq. to Bacitracin 400 IU Neomycin Sulfate USP eq. to Neomycin 3400 IU Cream Base Q.S.
70	Neomycin and Polymyxin B Sulfates and Bacitracin Zinc Ointment USP	Composition: Each gm Contains Polymyxin B Sulfate USP eq. to Polymyxin B 5000 IU Bacitracin Zinc USP eq. to Bacitracin 400 IU Neomycin Sulfate USP eq. to Neomycin 3400 IU Cream Base Q.S.
71	Neomycin Sulfate & Bacitracin Ointment USP (For Export)	Each g Contains: Neomycin Sulfate USP Eq. to Neomycin base 5 mg Bacitracin USP 500 IU Ointment base Q. S.
72	Neomycin Sulfate & Bacitracin Ointment USP	Each g Contains: Neomycin Sulfate USP Eq. to Neomycin base 5 mg Bacitracin USP 500 IU Ointment base Q. S.
73	Neomycin Sulphate Cream USP	Composition: Neomycin sulfate USP 0.50%w/w eq. to Neomycin Base 0.35%w/w Chlorocresol BP (As preservative) 0.10%w/w Cream Base q.s
74	Neomycin Sulphate Ointment USP	Composition: Neomycin sulfate USP 0.50%w/w eq. to Neomycin Base 0.35%w/w Ointment Base q.s
75	Ofloxacin, Ornidazole, Itraconazole & Clobetasol Propionate cream	Composition: Ofloxacin BP 0.075 % w/w Ornidazole BP 2.0 % w/w Itraconazole USP 1% w/w Clobetasol Propionate BP 0.05% w/w Methylparaben BP 0.2% w/w (As preservative) Propylparaben BP 0.02% w/w (As preservative) Cream base Q.S.
76	Permethrin cream 5% w/w	Each Tube Contains: Permethrin BP 5 %w/w Cream base Q. S.
77	Permethrin Lotion 1% w/v	Composition: Permethrin BP 1% w/v Lotion base Q. S.
78	Permethrin Lotion 5% w/v	Composition: Permethrin BP 5% w/v Lotion base q. s.

S.No	External	Composition
79	Povidone Iodine and Metronidazole Ointment	Composition: Povidone Iodine BP 5.00% w/w (Available Iodine 0.50% w/w) Metronidazole BP 1.00% w/w Water Soluble Ointment Base Q. S.
80	Povidone Iodine and Ornidazole Ointment	Composition: Povidone Iodine BP 5.00 % w/w (Available iodine 0.50 %w/w) Ornidazole BP 1.00 %w/w Water Soluble Ointment Base Q. S.
81	Povidone Iodine Ointment USP 10% w/w	Each Tube Contains: Povidone Iodine BP 10% w/w (Available Iodine 1.0% w/w) Water Soluble Ointment Base Q. S.
82	Povidone Iodine Ointment USP 5 % w/w	Composition: Povidone Iodine BP 5.00 %w/w (Avaliable Iodine) 0.50 %w/w Water Soluble Ointment Base Q. S.
83	Quinine Sulphate Suspension	Each 5 ml Contains: Quinine Sulphate BP 100.00 mg Flavoured Syrup Base Q. S. Approved Colour Used
84	Sertaconazole Nitrate Cream BP 2% w/w	Composition: Sertaconazole Nitrate BP 2% w/w Cream Base Q. S.
85	Sertaconazole Nitrate Lotion 2% w/v	Composition: Sertaconazole Nitrate 2% w/v Lotion base Q.S.
86	Silver Sulfadiazine Cream USP 1%w/w	Composition: Silver Sulfadiazine USP 1% w/w Methyl Paraben BP 0.165%w/w (Preservative) Propyl Paraben BP 0.077%w/w (Preservative) Cream Base Q. S.
87	Silver Sulphadiazine & Chlorhexidine Gluconate Cream	Composition: Silver Sulphadiazine USP 1.000% w/w Chlorhexidine Gluconate Solution BP 2.000% w/w Cream Base q. s.
88	Silver Sulphadiazine with Chlorhexidine Hydrochloride Cream	Composition: Silver Sulphadiazine BP 1.0% w/w Chlorhexidine Hydrochloride BP 0.50% w/w Cream Base q. s.
89	Sucralfate & Povidone Iodine Ointment	Composition: Povidone Iodine BP 5.0 %w/w (Available Iodine 0.50% w/w) Sucralfate BP 7.0 %w/w Water Soluble Ointment Base Q. S.
90	Sucralfate, Metronidazole & Povidone Iodine Ointment	Each g Contains: Sucralfate BP 70 mg Metronidazole BP 10 mg Povidone Iodine BP 50 mg(Available Iodine 5 mg) Water Soluble Ointment Base Q. S.
91	Terbinafine Hydrochloride Cream BP 1% w/w	Each Tube Contains: Terbinafine Hydrochloride BP 1% w/w Benzyl Alcohol BP 1% w/w (As preservative) Cream base Q. S.
92	Tetracycline Hydrochloride Ointment USP 1 %w/w	Composition: Tetracycline Hydrochloride BP 1.0% w/w Ointment Base Q.S.



Thank you for Your Valuable Time & Trust.  
we look forward to a long-term business relationship.



+91 99933 52122  
+91 96175 49391



info@deeprajglobal.com



www.deeprajglobal.com